



DSM SAFETY PRODUCTS Inc

www.dsmsafety.com dsmsafety@aol.com or mlessman@dsmsafety.com
+1 775-250-5523

Detective Deployment Methods

Recommended carrying the Detective Model to be accessed by support hand on support side of the body if possible.

Grasping the Detective Model Wallet/Badge/Banner carrier, from the pocket with support hand;



Grabbing the Detective model over the outside banner pocket/grab handle portion of the wallet
Note grip over the banner pocket portion



Apply pressure against side of body with wallet to open flap of banner pocket while grasping the grab handle.



Close up of grip (note using Hi-Vis Orange banner in photo)



While grasping the grab handle now use arm motion as if deploying an expandable baton and the weight of the wallet/case will deploy/open the banner.



Don banner by place elbow through the "loop" of material and placing over head onto primary/strong side shoulder.



Straighten banner as needed.




Repacking Instructions for the Detective Model.

Lay length of banner away from case, above the opening of outside banner pocket.



Fold the banner in a Zig-Zag manner, using the dimensions of the pocket as a guide.



Slide folded banner into pocket with grab handle positioned on the top of the folded banner and towards the velcro strip.




Roll the grab handle portion over the velcro strip and fold the flap closed.. *This is important so the grab handle is always in the same position and doesn't work it's way down into the pocket, causing a delay in deployment while searching for the grab handle.



Grab handle should slightly bulge under the velcro strip as shown.



Hidden neck chain option.... simply grasp the chain and gently pull to extend.



Chain is replaced into the hidden pocket via a velcro strip on edge of wallet.

